

KUBOTA GENERATORS

J SERIES / GL SERIES / KJ SERIES / SQ SERIES



MADE IN JAPAN

**ENGINEERED
FOR RELIABILITY AND
PERFORMANCE**



For further details, just call us.



Sime Kubota Sdn Bhd

(Company No. 7970-H)

1, Jalan Puchong, Taman Perindustrian Puchong Utama, 47100 Puchong, Selangor D.E., Malaysia
Tel : 03-8068 8558 Fax : 03-8068 8557 E-mail : kubota@simedarby.com www.simekubota.com.my

TELUK INTAN DEPOH: No. 22 Jalan Industri 2,
Taman Perindustrian Anson
36000 Teluk Intan,
Perak
Tel : 05-623 7433
Fax : 05-623 7439

KOTA BHARU DEPOH: Ground Floor, Lot 2942
Taman Sri Kota 2
Pasir Pekan, Wakaf Bharu
16250 Tumpat,
Kelantan Darul Naim.
Tel : 09-719 0288
Fax : 09-719 0399

KUANTAN BRANCH: No. 14, Jalan IM 14/6,
Kawasan Industri Ringan,
Indera Mahkota 25200
Kuantan, Pahang.
Tel : 09-570 1201
Fax : 09-570 1299

KLUANG BRANCH: Ground Floor, No. 1,
Jalan Intan 6/1
Taman Intan,
86000 Kluang, Johor
Tel : 07-776 2177
Fax : 07-776 4335

PERDA BRANCH: No. 12, Lorong Perda Utama 13
Banda Perda, 14000
Bukit Mertajam, Pulau Pinang
Tel : 04-548 9795
Fax : 04-548 9743

LAHAD DATU BRANCH: MDLD 7624 Lot 29,
Adika Industrial Center,
Jalan Tengah Nipah,
91100 Lahad Datu, Sabah.
Tel : 089-887 124
Fax : 089-887 164

KUCHING BRANCH: SL 1, L461, 7.5 ML,
Jalan Muara Tuang,
93250 Kuching,
Sarawak
Tel : 082-628 421
Fax : 082-628 422

SANDAKAN DEPOH: Mile 12, Jalan Labuk
P.O. Box 1007,
90711 Sandakan, Sabah.
Tel : 089-633 981
Fax : 089-633 982

BINTULU BRANCH: Lots 1632 & 1633 Erected on Lot 2768,
Block 20, Kemena Land District,
Tg. Kidurong Industrial Estate,
Jalan Tg. Kidurong, 97007 Bintulu, Sarawak.
Tel : 086-348 181
Fax : 086-348 282

KOTA KINABALU BRANCH: Lot No. SD41, (DBKK No.06)
Lorong Warisan 3,
Tmn Industri Warisan Indah, Mile 7,
Jalan Tuaran, 88450 Kota Kinabalu, Sabah.
Tel : 088-423 009
Fax : 088-426 066

SIBU BRANCH: No. 20A, Lorong Alan 5D
Jalan Alan
96000 Sibu, Sarawak.
Tel : 084-211 596
Fax : 084-211 597

A member of the Sime Darby Group

SPECIFICATIONS

MODEL	J112	J116	J310	J315	J320	GL6000	GL9000
Standby Output	13.2 (13.2)	17.6 (17.6)	11.0 (8.8)	16.5 (13.2)	22.0 (17.6)	6.0 (6.0)	8.8 (8.8)
Prime Output	12.0 (12.0)	16.0 (16.0)	10.0 (8.0)	15.0 (12.0)	20.0 (16.0)	5.5 (5.5)	8.0 (8.0)
Rated Voltage	240						
Phase / Wire	1/2						
Frequency	50						
Speed	3000						
Power Factor	1.0						
Insulation	Class B						
Voltage Regulation	8 (No load to full load)						
AWPS							
Single Phase 240V	54.5	72.7	9.1 x 3	13.7 x 3	18.2 x 3	25.0	36.4
Three Phase 415V	-	-	15.2	22.8	30.4	-	-
DIESEL ENGINE							
Brand / Model	KUBOTA D1105	KUBOTA D1305	KUBOTA D722	KUBOTA D1005	KUBOTA V1305	KUBOTA Z482	KUBOTA D722
Type	Vertical, water-cooled, 4-cycle diesel engine						
No. of Cylinder	3	3	3	3	4	2	3
Continuous Rate Output	14.4 (19.3)	19.3 (25.9)	10.4 (14.0)	14.4 (19.3)	22.0 (29.5)	6.9 (9.3)	10.3 (13.8)
SET							
Starting System	Electrical – 12 volt DC						
Fuel Consumption (75% load)	4.6 (3.7)	6.1 (4.9)	3.1 (2.4)	4.5 (3.6)	6.0 (4.8)	2.2 (1.8)	3.2 (2.5)
Battery (Ah/5h)	12V (55Ah)	12V (55Ah)	12V (36Ah)	12V (55Ah)	12V (55Ah)	12V (28Ah)	12V (36Ah)
Dimensions L x W x H	1215x611x922	1300x611x922	995x593x860	1215x611x922	1300x611x922	1066x618x698	1281x618x698
Approx. Net Weight	340	380	255	340	380	235	295
Sound Level (Full Load at 7m)	76.5	77.5	75	76.5	77.5	65	67
Emergency Stop System	In case of abnormal: Oil pressure, water temperature.						
Fuel Tank Capacity	79	79	37	79	79	28	28
	In case of abnormal: Oil pressure, water temperature						

● Specification in this catalog are subject to change without prior notice

- Compact design.
- Quieter operation with built-in muffler.
- Large capacity fuel tank enables longer continuous operation on a single tank.
- Single sided access for quick inspection and easy maintenance.
- One-point lifting eye makes transportation easy.
- Forklift pockets are provided in base of generator.
- Safety is paramount with double circuit protectors, protective cover and automatic shutdown system

